

DEFECTIVE POLE MARKERS

Marking And Identifying Overhead Distribution



Almetek's Defective Pole Markers warn linemen of unsafe conditions before climbing or working on poles. They serve to identify poles that are defective, dangerous or require immediate replacement. Defective Pole Markers are designed for safety and visibility. These markers are UV stabilized, chemical resistant and have an expected life span of 10-15 years for extended outdoor use.

Available Colors:


- Aluminum
 - White/Red
 - Red/White
 - Black/Yellow
- UV Hot Stamped Polyethylene
 - White/Red
 - Black/Yellow

Material Features:

- Aluminum - .024" thickness
- UV Hot Stamped Polyethylene - .030" thickness



DPM2A
Climb With Caution
Style A



DPM2B
Caution Do Not Climb
Style B



DPM2C
Danger Do Not Climb
Style C

Item #	Description	Size
DPM2A	Flat Aluminum White/Red Marker Style A - Climb with Caution	2" x 2 1/2" x .024"
DPM2B	Flat Aluminum White/Red Marker Style B - Caution Do Not Climb	2" x 2 1/2" x .024"
DPM2C	Flat Aluminum White/Red Marker Style C - Danger Do Not Climb - Pole To Be Replaced	2" x 2 1/2" x .024"
DPMPRA	Hot Stamped Polyethylene White/Red Style A - Climb With Caution	1.6" x 2 1/2" x .030"
DPMPRB	Hot Stamped Polyethylene White/Red Style B - Caution Do Not Climb	1.6" x 2 1/2" x .030"
DPMPRC	Hot Stamped Polyethylene White/Red Style C - Danger Do Not Climb - Pole To Be Replaced	1.6" x 2 1/2" x .030"

For More Information Call Toll Free- 1-800-248-2080

ALMETEK INDUSTRIES
2 Joy Drive, Hackettstown, NJ 07840
www.almetek.com



If You Identify With Quality, You Identify With Us.™

908-850-9700
908-850-9618 (Fax)
csr@almetek.com

B01-015-071222